

"INTERFERENCE"**Refine Search****Search Results -**

Terms	Documents
(rate determining same identify same distinct region same respective invariant same rating vector same data set) and (distinct region same defines same rating space) and (rating vector same rate parameter) and (rate modelling component same store same model)	0

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L1

Refine Search

Recall Text

Clear

Interrupt

Search History
DATE: Thursday, July 12, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)
SetName Queryside by
sideHit
CountSet
Name
result
set

DB=PGPB; PLUR=YES; OP=ADJ

L1

(rate determining same identify same distinct region same respective invariant
same rating vector same data set) and (distinct region same defines same rating
space) and (rating vector same rate parameter) and (rate modelling component
same store same model)

0

L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L14 and L21	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L37

Search History

DATE: Thursday, July 12, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

Set Name Query
 side by side

Hit Count Set Name
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L37</u>	114 and 121	0	<u>L37</u>
<u>L36</u>	114 and L35	0	<u>L36</u>
<u>L35</u>	6263058	6	<u>L35</u>
<u>L34</u>	132 and L33	4	<u>L34</u>
<u>L33</u>	stor\$3 same L24	498	<u>L33</u>
<u>L32</u>	379/\$.ccls.	107634	<u>L32</u>
<u>L31</u>	129 and L30	33	<u>L31</u>
<u>L30</u>	stor\$3 same model	114145	<u>L30</u>
<u>L29</u>	17 and 127	145	<u>L29</u>
<u>L28</u>	126 and L27	4	<u>L28</u>
<u>L27</u>	rate vector	900	<u>L27</u>
<u>L26</u>	124 and L25	963	<u>L26</u>
<u>L25</u>	705/\$.ccls.	51947	<u>L25</u>
<u>L24</u>	(pric\$3 or tariff or rat\$3) model\$4	14467	<u>L24</u>

<u>L23</u>	l2 and L21	1	<u>L23</u>
<u>L22</u>	l19 and L21	0	<u>L22</u>
<u>L21</u>	6456986	14	<u>L21</u>
<u>L20</u>	l18 and L19	3	<u>L20</u>
<u>L19</u>	rate model\$4	1297	<u>L19</u>
<u>L18</u>	L16 not l12	15	<u>L18</u>
<u>L17</u>	L16 not l12	15	<u>L17</u>
<u>L16</u>	l7 and L15	16	<u>L16</u>
<u>L15</u>	l2 and L14	193	<u>L15</u>
<u>L14</u>	distinct regions	9194	<u>L14</u>
<u>L13</u>	disctinct regions	0	<u>L13</u>
<u>L12</u>	l10 and L11	3	<u>L12</u>
<u>L11</u>	defin\$3 with distinct with region	1528	<u>L11</u>
<u>L10</u>	l8 and L9	392	<u>L10</u>
<u>L9</u>	(rat\$3 with vector) or (rate with parameter)	149499	<u>L9</u>
<u>L8</u>	l6 and L7	570	<u>L8</u>
<u>L7</u>	(rat\$3 with space) or (dimension with attribute)	153585	<u>L7</u>
<u>L6</u>	l3 and L5	4975	<u>L6</u>
<u>L5</u>	rate with model\$4	35740	<u>L5</u>
<u>L4</u>	l2 and L3	4946	<u>L4</u>
<u>L3</u>	(variable with attribute) or (data or parameter) set	189722	<u>L3</u>
<u>L2</u>	rate with model\$3	35509	<u>L2</u>
<u>L1</u>	rate adj(2) model\$3	2	<u>L1</u>

END OF SEARCH HISTORY